

MONJUVI[®]
tafasitamab-cxix | 200mg
for injection, for intravenous use

WHAT TO EXPECT WHEN GETTING STARTED WITH MONJUVI



Not an actual patient or healthcare provider.

What is MONJUVI?

MONJUVI (tafasitamab-cxix) is a prescription medicine given with lenalidomide to treat adults with certain types of diffuse large B-cell lymphoma (DLBCL) that has come back (relapsed) or that did not respond to previous treatment (refractory) and who cannot receive a stem cell transplant.

It is not known if MONJUVI is safe and effective in children.

The approval of MONJUVI is based on a type of response rate. There is an ongoing study to confirm the clinical benefit of MONJUVI.

IMPORTANT SAFETY INFORMATION

Important information I should know, including possible side effects, about MONJUVI:

MONJUVI may cause serious side effects, including infusion-related reactions, low blood cell counts, and infections.

The most common side effects of MONJUVI include feeling tired or weak, diarrhea, cough, fever, swelling of lower legs or hands, respiratory tract infection, and decreased appetite.

These are not all the possible side effects of MONJUVI. Your healthcare provider will give you medicines before each infusion to decrease your chance of infusion reactions. If you do not have any reactions, your healthcare provider may decide that you do not need these medicines with later infusions. Your healthcare provider may need to delay or completely stop treatment with MONJUVI if you have severe side effects.

Please see additional Important Safety Information throughout.

INFORMATION AT YOUR FINGERTIPS

You and your healthcare team have decided to begin your treatment with MONJUVI. This brochure will explain what you may expect during treatment. It includes details about how you can receive MONJUVI, the side effects you may experience, and support options.



HOW WILL I RECEIVE MONJUVI?

MONJUVI will be given to you by your healthcare provider as an intravenous (IV) infusion into one of your veins. You will receive MONJUVI in a clinic or infusion center, **so there's no need to travel to a special cancer center.** Your doctor will also prescribe a 25-mg lenalidomide capsule for you to take orally once a day on days 1 to 21 of each treatment cycle, for the first 12 cycles.

Your healthcare provider will give you medicines before each infusion to decrease your chance of infusion reactions. If you do not have any reactions, your healthcare provider may decide that you do not need these medicines with later infusions. It is important to take these medicines as directed by your healthcare team.



Following premedication, your first infusion will take about 1½ to 2½ hours. Your infusion time may vary if your healthcare team needs to make adjustments during treatment. Nurses and other healthcare professionals will be available to help you during your treatment.



After that, the infusion time will be between 90 minutes and 2 hours.

Your healthcare team may need to delay or completely stop treatment with MONJUVI if you have severe side effects.

If you miss any appointments, call your healthcare provider as soon as possible to reschedule your appointment.

IMPORTANT SAFETY INFORMATION (CONTINUED)

Before receiving MONJUVI, tell your healthcare provider about all your medical conditions, including if you have an active infection or have had one recently, are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed. You should not become pregnant or breastfeed during treatment with MONJUVI and should use an effective method of birth control (contraception) and not breastfeed during and for at least 3 months after your last dose of MONJUVI. Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with MONJUVI. **Refer to the lenalidomide Medication Guide for important information about pregnancy, contraception, and blood and sperm donation.**

Please see additional Important Safety Information throughout.

POINTS TO REMEMBER

Print copies of this page and use them to keep track of the date and time of your next treatment, any questions you have, and how you are feeling.

The next time I am scheduled to receive MONJUVI is:

(Write down the date and time.)

The time of day I should take my lenalidomide:

(Write down the time; your healthcare team will advise you.)

Remember that your healthcare team is the single best source of medical advice regarding your health. Please consult your healthcare team if you have any questions about your treatment.

Questions for my healthcare team:

How I have been feeling:

YOUR TREATMENT SCHEDULE

Each treatment cycle of MONJUVI lasts for 28 days. Your doctor will also prescribe a 25-mg lenalidomide capsule for you to take orally once a day on days 1 to 21 of each treatment cycle, for the first 12 cycles.

You will receive MONJUVI on 5 days during your first cycle.

► Cycle 1

DAYS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
MONJUVI 12 mg/kg	■			■				■							■							■						
Lenalidomide 25 mg daily	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						

For your second and third cycles, you will receive MONJUVI on 4 days.

► Cycles 2 and 3

DAYS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
MONJUVI 12 mg/kg	■							■							■								■					
Lenalidomide 25 mg daily	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						

After your first 3 cycles, you will receive MONJUVI once every 2 weeks.

► Cycles 4 to 12

DAYS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
MONJUVI 12 mg/kg	■														■													
Lenalidomide 25 mg daily	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						

After 12 cycles, you will receive only MONJUVI.

► Cycle 13 and after

DAYS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
MONJUVI 12 mg/kg	■														■													


Your healthcare team will monitor and may adjust your dose of lenalidomide as needed throughout your treatment.

You may continue receiving MONJUVI for as long as your DLBCL responds to treatment, as directed by your healthcare team. Your healthcare provider will decide how many treatments you need.

COMMON SIDE EFFECTS

It is important for you to write down how you are feeling and any side effects you may be experiencing. Make sure you talk to your healthcare team about these side effects.

The most common side effects of MONJUVI include:



FEELING TIRED OR WEAK



DIARRHEA



COUGH



FEVER



SWELLING OF LOWER LEGS OR HANDS



RESPIRATORY TRACT INFECTION



DECREASED APPETITE

These are not all the possible side effects of MONJUVI. Call your doctor for medical advice about side effects.

Infusion-related reactions can occur at any time during treatment but are more frequent at the beginning of treatment. Your healthcare team may delay or completely stop your infusion and may also give you other medicines if you have severe side effects.

Tell your healthcare team right away if you get:

- Chills, flushing, headache, or shortness of breath during an infusion of MONJUVI
- A fever of 100.4 °F (38 °C) or above, or any bruising or bleeding
- A fever of 100.4 °F (38 °C) or above, or develop any signs or symptoms of an infection

Your healthcare provider will monitor your blood counts prior to each infusion and throughout your treatment with MONJUVI.

IMPORTANT SAFETY INFORMATION (CONTINUED)

Tell your healthcare provider about all the medications you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Call your doctor for medical advice about side effects. You may report side effects to the FDA at (800) FDA-1088 or www.fda.gov/medwatch. You may also report side effects to MORPHOSYS US INC. at (844) 667-1992.

Please see additional Important Safety Information throughout.

My MISSION
SUPPORT | Patient
Support
Program[™]

My MISSION Support offers patient support, including financial assistance, ongoing education, and other resources, for eligible patients who are prescribed MONJUVI. My MISSION Support can help providers understand their patients' health insurance coverage and answer billing and coding questions. Program Specialists offer personalized assistance, with the goal of making MONJUVI access simple and streamlined, while providing compassionate assistance and resources for patients and caregivers.

Contact My MISSION Support at **855-421-6172** or visit our website at **MyMISSIONSupport.com**.

Visit **MONJUVI.com** for more information about your treatment with MONJUVI. You and your treatment team can build a customized treatment schedule.

Remember that your healthcare team is the single best source of medical advice regarding your health. Please consult your healthcare team if you have any questions about your treatment.

Please see the full **Prescribing Information**, including **Patient Information**, for **Important Safety Information**.



MONJUVI and the MONJUVI logo are registered trademarks of MorphoSys AG.
© 2021 January 2021 RC-US-TAF-00678

Distributed and marketed by MorphoSys US Inc. and marketed by Incyte Corp.
MorphoSys is a registered trademark of MorphoSys AG.
Incyte and the Incyte logo are registered trademarks of Incyte Corp.